



Swift Group Limited provides a three-year warranty on the coachbuilt element of the motorhome, see www.swiftmotorhomes.co.uk for more details. Fiat provides a three year manufacturer's warranty of the base vehicle and three-year pan European Camper Assistance, road side assistance and breakdown cover operated in conjunction with the RAC, ask your dealer for more details. See www.swiftmotorhomes.co.uk for model pictures, the gallery is constantly updated as new models are available



Swift Motorhomes, Dunswell Road, Cottingham, East Yorkshire HU16 4JX.
Tel: 01482 847332 Fax: 01482 841042 email: enquiry@swiftgroup.co.uk www.swiftmotorhomes.co.uk
A MEMBER OF THE SWIFT GROUP

This brochure does not constitute an offer by Swift Group Limited (Swift). Swift reserves the right to alter specifications and prices at any time as materials and conditions demand. Distributors and dealers sell Swift products on their own account and not as agents of Swift. Accordingly, they have no authority to bind Swift or to make any representation or undertaking whatsoever on behalf of Swift. All props are for photographic purposes only and are not included in the specification. Issued September 2009



Voyager

630EK | 680FB | 685FB | 695EL



Voyager


The new Voyager range appeals to couples and families looking for luxury touring at a sensible price. Distinctive exteriors have metallic silver sides and the Fiat 4 tonne Maxi Chassis offers generous payloads for all the holiday essentials. Detailed features include new energy saving LED lighting which can help prolong the life of your battery, making it realistic to power the system from a solar panel, for which there is now roof and wiring preparation.



The Voyager's low-line models feature a low profile GRP roof with panoramic opening 'Skyview' window. This aerodynamic design provides additional storage with generous overcab lockers in place of the luton bed.


The Voyager's high-line models enjoy a spacious overcab Luton area housing a large, gas-strut assisted, pull-down double bed, which can be left made-up whilst stowed away for day use and conveniently pulled-down at night.






Comfortable living areas are fully equipped and high specification features include pleated blinds throughout, 'Ultra Comfort' domestic standard fixed bed mattress, seat tops with gas struts for easy access and the dual fuel Truma 'Combi' central heating with en-route operation. Restyled kitchens feature new appliances with a built in microwave oven, stainless steel effect electronic ignition fridge, Thetford oven and dual fuel hob. All washrooms feature a separate fully lined shower area, the latest Thetford toilet and a thick door with domestic style lock and handle.


Specification & Features




630EK



680FB



685FB







695EL

Model

	630EK		680FB		685FB		695EL	
	Standard	Optional	Standard	Optional	Standard	Optional	Standard	Optional
Fiat MultiJet Diesel Engine	130	160 Auto	130	160 Auto	130	160 Auto	130	160 Auto
Engine Capacity	2287cc	2999cc	2287cc	2999cc	2287cc	2999cc	2287cc	2999cc
Engine Power	130bhp @3600rpm	157bhp @3600rpm	130bhp @3600rpm	157bhp @3600rpm	130bhp @3600rpm	157bhp @3600rpm	130bhp @3600rpm	157bhp @3600rpm
Engine Torque	320Nm @2000rpm	400Nm @2000rpm	320Nm @2000rpm	400Nm @2000rpm	320Nm @2000rpm	400Nm @2000rpm	320Nm @2000rpm	400Nm @2000rpm
Roof Profile	Low Line		Low Line		High Line		High Line	
Chassis	Fiat Chassis Cab		Fiat Maxi Chassis		Fiat Maxi Chassis		Fiat Maxi Chassis	
Wheel Base	3.80m/12'6"		4.04m/13'3"		4.04m/13'3"		4.04m/13'3"	
Designated Passenger Seats	1		3		3		3	
Berths (Sleeping Positions)	2		4		4		4	
Overall Length (No Ladder)*	6.82m/22'5"		7.08m/23'3"		7.08m/23'3"		7.08m/23'3"	
Overall Body Width (Excluding Mirrors)	2.33m/7'8"		2.33m/7'8"		2.33m/7'8"		2.33m/7'8"	
Overall Height	2.95m/9'8"		2.95m/9'8"		3.05m/10'0"		3.05m/10'0"	
Maximum Technical Permissible Laden Mass (A)	3500kg		4005kg		4005kg		4005kg	
Mass in Running Order (B)†	3231kg	3298kg	3391kg	3458kg	3431kg	3498kg	3440kg	3507kg
Maximum User Payload (A-B)	269kg	202kg	614kg	547kg	574kg	507kg	565kg	498kg
Essential Habitation Equipment	10kg		10kg		10kg		10kg	
Maximum Recommended Trailer Weight	1330kg		1290kg		1290kg		1290kg	
Gross Train Weight**	6000kg		6505kg		6505kg		6505kg	

Bed Sizes

	630EK	680FB	685FB	695EL
Front Double	2.11m x 1.80m/6'11" x 5'11"	2.13m x 1.53m/7'0" x 5'0"		
Front Nearside Single	1.80m x 0.72m/5'11" x 2'4"			
Front Offside Single	1.80m x 0.72m/5'11" x 2'4"			
Rear Double		1.90m x 1.31m/6'3" x 4'4"	1.90m x 1.31m/6'3" x 4'4"	2.11m x 1.77m/6'11" x 5'10"
Rear Nearside Single				1.89m x 0.70m/6'2" x 2'4"
Rear Offside Single				1.77m x 0.70m/5'10" x 2'4"
Overcab Bed			1.91m x 1.37m/6'3" x 4'6"	1.91m x 1.37m/6'3" x 4'6"



Notes

- * For optional roof ladder add 200mm.
- ** Gross train weight must not be exceeded. Please consult your dealer for more detailed towing information
- † The Mass in Running Order is the mass of the unladen vehicle including a 75kg allowance for the driver plus engine coolants and 90% of the fuel tank, water tank and gas capacity.

Key features

- Low-line models with 'Skyview' panoramic opening roof window and spacious, automotive style overcab lockers (630EK & 680FB)
- High-line models with fully moulded luton construction and large, lift-up bed with gas strut assistance (685FB & 695EL)
- Class-leading performance and economy from Fiat's 130 MultiJet diesel engine
- Optional 160 MultiJet diesel engine with Comfort-Matic automatic gearbox
- Special wide rear track and rear anti-roll bar
- Heavy duty chassis extensions ready for optional homologated towbar
- Driver and passenger airbag
- Full-length recessed awning
- Remote central locking of cab doors and entrance door
- Mainly LED lighting, saving 70% of full lighting power
- Roof and wiring prepared for solar panel installation
- Radio/CD/MP3 player with iPod/MP3 connection
- Driver and passenger seat fully adjustable and swivelling
- Pleated windscreen and cab side window blinds
- Pleated blinds with flyscreens in accommodation area
- NEW Built-in microwave oven with digital controls
- Smart Energy Selection fridge/freezer (175 litre in 680FB & 685FB, 104 litre in 695EL, 97 litre in 630EK)
- Dual fuel Truma combi-boiler with en-route operation
- 'Ultra Comfort' domestic standard fixed bed mattress (680FB & 685FB)
- Carpet with 45oz pile density
- Spare wheel and tyre on underslung carrier
- Seat tops with gas struts for easy access

Key options

NEW Optional Vogue Pack consisting of:

- Cruise Control
- Cab air conditioning
- Colour reversing camera and screen integrated with rear view mirror

Optional Winter Pack consisting of fresh and waste water tank heaters, waste pipe insulation and winter fridge vent covers

Additional features

Chassis-Cab

- Fiat Ducato X2/50 Maxi 4.0 tonne chassis (Except 630EK 3.5 tonne)
- ABS brakes
- EBD (electronic brake force distribution)
- Variable power steering
- Electric operated and tinted cab windows
- Electrically adjusted and heated wing mirrors fitted with direction indicators
- Headlamp height adjustment
- Immobiliser with rolling code
- Driver and passenger seats both with:
 - Swivels
 - Height and rake adjustment
 - Two armrests
 - Full upholstered covers
 - Base surrounds
- Adjustable steering wheel position
- Cab carpet (removable)
- Lockable (Laptop PC size) central storage box
- Door pockets with bottle holders
- Two DIN sockets

Body and Exterior equipment

- Thick gauge one-piece aluminium side-walls finished in metallic silver
- One-piece GRP roof supported by 34mm sandwich construction
- Integrated longitudinal roof bars
- 44mm thick sandwich construction floor
- Full GRP rear panel with high level brake light and camera housing
- Gloss white finished front bumper
- Strong extruded aluminium skirts
- Entrance door with pleated, easy action flyscreen, window and wastebin
- Service door for underseat/bed storage

- Fully double glazed opening windows with night-latch ventilation
- LED exterior light
- Compartment for 2 x 7kg gas bottles with fitted butane/propane regulator
- Fixing points for rear-mounted cycle rack

Living Area

- Choice of two soft furnishing schemes
- Swift Group patented 'spaceframe' locker construction
- Heki skylight with flyscreen and adjustable blind
- Mini-Heki skylight with flynet and adjustable blind
- Removable aluminium ladder to the over-cab bed in high-line models
- Moulded over-cab base with storage recesses in high-line models
- Bed mattresses and lounge area seat cushions on beech slats in strong aluminium frame
- Sprung interior seat and backrest cushions
- Scatter cushions
- Seat backrest ventilation boards
- Table with dedicated storage location (additional table in 695EL)
- TV station with flat-screen TV bracket (two in 680FB, 685FB & 695EL)
- Removable carpets over woodblock effect vinyl flooring
- Domestic style mortice locks on washroom and wardrobe doors
- Removable stepwell mat
- Entrance doorway grab-handle
- Smoke alarm

Kitchen

- Removable drainer with dedicated storage
- Food grade nylon chopping board with dedicated storage
- Chrome finish brass pillar tap with long spout
- Silver steel thermostatic oven and separate grill
- Dual fuel hob with 800W electric hotplate and 3 gas burners with electronic ignition and flame failure protection
- Glass hob lid with safety cut-out feature
- Curved kitchen extension containing storage carousel (in 680FB & 685FB)

Washroom

- Shower cubicle or NEW fully lined shower area
- Lower cupboard with built-in washbasin
- Overhead storage locker
- Theford C250 cassette toilet with electric flush and larger wheeled waste holding tank
- Chrome finish brass shower and mixer taps
- Skylight with flyscreen

Heating and Plumbing

- En route and on site blown air central heating and hot water provided by Truma 4kW gas and 2kW electric combi-boiler
- Grade 3 classification (EN 1646-1) for heating and thermal insulation (for sub-zero ambient temperatures)
- 90 litre external insulated fresh water tank with level sensor
- Pressurised fresh water system with self-priming pump
- 68 litre waste water tank with level sensor

Electrical

- Mains 230V supply via ELCB/MCB distribution board to sockets, fridge, microwave oven, combi-boiler and battery charger/transformer
- 25amp charger/transformer for leisure battery
- Five mains 230V sockets
- 12V control panel over doorway with touch controls for:
 - Vehicle/Leisure battery selection
 - Water pump and lighting circuits
 - Tank heaters (if fitted) and display of:
 - Tank levels
 - Vehicle and leisure battery state
- 95 amp-hour (Dir 2006/66/EC) leisure battery in underfloor compartment
- Vehicle battery drain protection
- Solar panel connection provision
- TV station with 230V, 12V supply and co-ax link to outside connector
- 25 metre mains hook-up cable
- Power supply for satellite installation